



30-Day Android Challenge

From Basics to Advanced

(Expert-Level Deconstruction 📱)

🚀 Day 29

Modularization

Boosting Scalability with Modularization 🚀



Esmaeel Moradi

@esmaeel-moradi700



Day 29



of #30DayAndroidChallenge:

Boosting Scalability with Modularization 🚀

Hey Android Architects, ambitious developers, and anyone who values the stability and quality of their code!


Has your Android codebase turned into a monolithic monster where every change is a nightmare? In large and complex projects, scalability is not just a word; it's a vital necessity. Today, we delve into a solution that industry giants use to tame complexity and build applications with unparalleled performance: Modularization!

As an Android Architect, in large-scale, high-pressure projects, I have repeatedly encountered challenges that were simply unsolvable without Modularization. As a codebase grows, monolithic applications quickly become a massive "snowball" of dependencies. Long build times, difficulty in understanding the code, challenging test writing, dense dependencies, and cumbersome parallel development are all problems inherent in a Monolithic App. Modularization is a powerful solution to these issues and the backbone of Scalable Architecture.



Esmaeel Moradi

@esmaeel-moradi700



In fields like Web3 and DeFi, where agile development, high security, and parallel development capabilities are required, modularization is no longer an option, but a fundamental necessity for survival and competition. This article will help you understand the concept of Modularization from the perspective of a system architect and learn implementation strategies and best practices for modularization in large and complex projects. The ultimate goal is to empower you to design an efficient modular architecture and maintain scalability and maintainability over time.



Esmaeel Moradi
@esmaeel-moradi700

Deep Dive into Modules: Types and Applications in Android



Description:

In the Android ecosystem, using Gradle, modules are structural units that allow you to divide your code, resources, and application logic into separate sections. Each module can be compiled, tested, and deployed independently.

- **Library Modules:**

- **Purpose:** The most common type of module for reusable code and shared resources. These modules produce code that other modules can depend on.
- **Example:** Data Layer (including Repositories, DataSources, and data models), Domain Layer (including Use Cases and Entities) – referencing Clean Architecture articles (Day 22 and AndroidArchitectures.pdf).
- **Why?:** Isolates logic, facilitates reuse across different parts or even in other projects.



Esmaeeil Moradi

@esmaeeil-moradi700

- **Feature Modules (Dynamic Modules):**

- **Purpose:** For specific, separate functionalities of the application. They can be developed independently and even downloaded and installed On-demand (when needed by the user) as Android App Bundles (AAB).
- **Example:** Authentication module, Payments module, Profile module.
- **Why?:** Reduces initial app size, simplifies parallel development by different teams, and enables providing specific functionalities to specific users. This is extremely useful for Web3 projects that might have specialized and heavy functionalities (like an NFT Gallery or Swap functionality).

- **Test Modules:**

- **Purpose:** Separate modules that contain only test code and tools. This can include End-to-End tests, custom testing utilities, or complex Mocks.
- **Why?:** Separates test code from production code, reduces Production Build size, and speeds up the compilation of the main code. (Referencing Day 28: Testing Strategies).



Esmaeeil Moradi

@esmaeeil-moradi700



- **App Modules:**

- **Purpose:** The main module that connects all other modules and serves as the application's entry point. Every Android project has at least one App Module.
- **Why?:** This module is responsible for the final Assembly of the application and managing overall dependencies.



Esmaeeil Moradi
@esmaeeil-moradi700

Modularization Strategies: How to Divide Your Application?



Description:

Choosing the right strategy for dividing code into modules is a critical architectural decision. There are various approaches, each with its advantages and disadvantages:

- **Layer-based / Horizontal Modularization:**


- **Description:** You divide the code into separate modules based on architectural layers (e.g., Data, Domain, Presentation).
- **Advantages:** Clear Separation of Concerns, high testability for each layer.
- **Disadvantages:** Can be Over-engineering for smaller projects. In large projects with feature-centric teams, parallel development of a single feature might require collaboration across different layer modules.
- **Reference:** This approach is highly consistent with Clean Architecture (which we covered in AndroidArchitectures.pdf and Day 22).



Esmaeel Moradi

@esmaeel-moradi700

- **Feature-based / Vertical Modularization:**



- **Description:** Each major functionality of the application (e.g., Authentication, User Profile, Product Catalog) resides in a separate module. Each feature module can include its own internal layers (Data, Domain, Presentation).
- **Advantages:**
 - **Easy Parallel Development:** Different teams can work independently on different features.
 - **Reduced Build Time:** A change in one feature only recompiles that module and its dependent modules.
 - **On-demand Delivery Capability:** Allows delivering features separately (with Dynamic Feature Modules).
 - **Better Testability:** Tests for a feature reside within its own module.
- **Disadvantages:** Managing shared dependencies and inter-feature communication can become complex.

This approach is ideal for Web3, where Fast Iteration and specialized teams work on specific functionalities (e.g., one team on NFTs, one team on Swaps).



Esmaeel Moradi

@esmaeel-moradi700



- **Hybrid Approach:**

- **Description:** The most common and effective approach in real-world projects. Typically includes an App module, one or more Core/Shared modules (e.g., UI components, Utils, Network – for sharing across all features), and then feature modules for each main functionality. Within each feature module, a Layer-based structure can be used.
- **Why?:** This approach offers the best of both worlds: Clear Separation at a high level (features) and Reusability for common components.



Esmaeel Moradi

@esmaeel-moradi700

Practical Modularization Implementation: Best Practices and Tools



Implementing modularization is not just about dividing code; it requires precise strategies for managing dependencies, inter-module communication, and the overall project structure.

- **Dependency Management in Modular Architecture:**
 - **api vs implementation in Gradle:**
 - **api:** Indicates a dependency on Upstream Modules and propagates its dependencies to consuming modules. This is suitable for modules that expose a Public API.
 - **implementation:** An internal dependency of a module that is not propagated to consuming modules. This improves Encapsulation and reduces build times.
 - **System Architect's Tip:** Always use implementation whenever possible to minimize Compile-time Coupling.
 - **Using Convention Plugins (buildSrc or Kotlin DSL):**
 - For centralized management of dependencies, versions, and Gradle configurations in multi-module projects. This prevents Version Mismatch errors and ensures Consistency.



Esmaeel Moradi

@esmaeel-moradi700



- **Reference to DI (Hilt/Dagger):**
 - Dependency Injection Frameworks (like Hilt, which we covered on Days 17 and 18) are essential for managing dependencies in a modular architecture. They help you create healthy and manageable Dependency Graphs and inject dependencies between modules in a Decoupled manner.
 - Utilizing Subcomponents or Component dependencies in Dagger/Hilt to connect Dependency Graphs of different modules.



Esmaeeil Moradi

@esmaeeil-moradi700

- 
- **Inter-Module Communication:**
 - **Using Interfaces/Contracts for Decoupled communication:** Modules should communicate with each other through Abstractions (interfaces), not through concrete implementations. This is a key principle of Clean Architecture and Dependency Inversion, as discussed in [AndroidArchitectures.pdf](#).
 - **Navigation Component in Modular Architecture:**
 - You can define separate Navigation Graphs for each feature module and then Include them in the main application's Main Navigation Graph.
 - Deep Links are a powerful tool for navigating between modules, especially for launching an Activity/Fragment in another module without a direct dependency on it. (Referencing [Single Activity Architecture.pdf](#) where Deep Link Handling was mentioned).
 - **Events and Message Buses (with caution):** For One-to-Many communication between modules, Events or Message Buses (like EventBus or SharedFlow/StateFlow in Coroutines – referencing Day 21) can be used, but must be employed cautiously to prevent new Tight Coupling.



Esmaeel Moradi

@esmaeel-moradi700



- **Project Structure:**

- **Monorepo:** The best practice for organizing files and modules in a large repository, where all project code resides in a single repository.
- **Logical Organization:** Create logical folders for modules (e.g., features/, core/, shared/) for better readability and management.

- **Build Time Considerations:**

- Modularization drastically reduces build times by creating Independent Compilation Units. A change in a small module only requires recompilation of that module and its dependent modules.
- Leveraging Incremental Compilation in Gradle, which naturally works better with modularization.



Esmaeel Moradi

@esmaeel-moradi700

Modularization Challenges and Solutions: Lessons Learned from Real-World Projects

Modularization offers many benefits, but it's not without its challenges. As an architect, you must be aware of these obstacles and have solutions for them:

- **Initial Overhead:**

- **Challenge:** Initially, Gradle setup and module organization can be time-consuming and complex.
- **Solution:** Use project templates or Convention Plugins. Employ automation tools (like Shell/Python scripts) for creating new modules.

- **Managing Circular Dependencies:**

- **Challenge:** When Module A depends on B, and B depends on A, a cycle is created that prevents compilation and adds complexity.
- **Solution:** Careful design of modules and dependencies, using Interfaces (Abstraction) to break cycles, and dependency analysis tools (like Gradle Doctor).



Esmaeel Moradi

@esmaeel-moradi700



- **Module Boundaries Decision-Making:**
 - **Challenge:** Determining which code belongs in which module and where the boundaries lie can be difficult.
 - **Solution:** Apply Single Responsibility Principle and Common Closure Principle. Conduct regular architecture review meetings with the team for key decisions. Remember that Feature-based is better for large teams, and Layer-based for Core Logic.
- **Resource Management Issues (Shared Resources):**
 - **Challenge:** Managing shared Strings, Drawables, and Layouts across different modules can be complex.
 - **Solution:** Create a Shared Resources or UI module that holds common resources and on which other modules depend. Use Android Lint to identify Unused Resources.
- **Testing in Modular Architecture:**
 - **Challenge:** Integration testing between modules can be complex.
 - **Solution:** (Referencing Day 28) Keep Unit tests within each module. For Integration tests between modules, use separate test modules or End-to-End tests. Dependency Injection is also key here.



Esmaeel Moradi

@esmaeel-moradi700

Modularization and Fast Development Cycle in **Web3** and **Fintech**

Description:

In fast-paced and competitive environments like Web3 and Fintech, Fast Development Cycle and security are paramount. Modularization helps you achieve these goals:

- **Increased **Security** (Vulnerability Isolation):**
 - By dividing code into smaller modules, the **Attack Surface** of each module is reduced.
 - If a security bug is identified in one module, it can be patched with a quick **Hotfix** and with minimal impact on the overall system.
 - This is critical for **Web3 Smart Contracts** where any error can lead to asset loss.
- **Enabling **On-demand Delivery** (Reducing App Size):**
 - With Dynamic Feature Modules, you can download and install specific functionalities only when the user needs them. This significantly reduces the initial app size, a major advantage for users with limited internet or storage space.



Esmaeel Moradi


@esmaeel-moradi700



- **Improved Team Scalability and Developer Experience:**
 - Teams can work in parallel and independently on different modules, reducing Merge Conflicts.
 - Each developer deals with a smaller subset of the code, making it easier to understand and maintain.
 - Faster Build Times significantly enhance the developer experience.
- **Faster Iteration and Time-to-Market:**
 - In Web3, where technology is rapidly changing and there's a need to deliver new functionalities quickly, modularization enables Rapid Prototyping and Deployment.
 - Teams can develop and test Features at high speed and bring them to market.
- **How Modularization Facilitates CI/CD (Mentioning Day 30):**
 - Modularization provides a strong foundation for Continuous Integration/Continuous Deployment. In a modular system, CI/CD pipelines can build and test only the modules that have changed, leading to much faster and more efficient CI/CD processes. We will explore this fully on Day 30.



Esmaeel Moradi
@esmaeel-moradi700




Conclusion:

Build a Scalable Future with Modularization!

Modularization is a long-term, strategic investment in the stability, scalability, and maintainability of your Android application. It not only helps you tackle the challenges of large projects but also provides a powerful infrastructure for innovation and growth. In the world of Web3 and Fintech, where speed and security are paramount, modularization is an essential tool for survival and success.



Esmaeeil Moradi
@esmaeeil-moradi700



As an Android Architect, I invite you to apply these powerful strategies in your projects and join in building applications that not only perform flawlessly but are also ready for limitless growth. This is a crucial step towards mastering large-scale architectures.

Stay tuned for the final article of the #30DayAndroidChallenge on Continuous Integration/Continuous Deployment (CI/CD), where the architecture and development puzzle will be completed!



Esmaeeil Moradi
@esmaeeil-moradi700

Looking forward to your
insights and experiences!
Let's elevate Android
development together.



Esmaeel Moradi

@esmaeel-moradi700